

## REFERENCES

- Ahn, C. (2016). An Analysis of Evacuation under Fire Situation in Complex Shopping Center Using Evacuation Simulation Modeling. *Procedia - Social and Behavioral Sciences*, 218, 24–34. <https://doi.org/10.1016/j.sbspro.2016.04.007>
- Angeles, C. O. F. L. O. S. (2007). DESIGN STANDARDS AND GUIDELINES, (May).
- Available online at [www.sciencedirect.com](http://www.sciencedirect.com). (2014), 71, 22–27.  
<https://doi.org/10.1016/j.proeng.2014.04.004>
- Evacuation Time and Movement in Apartment Buildings \* Guyl ne Proulx. (1995), 24, 229–246.
- Galea, E. R., Xie, H., Deere, S., Cooney, D., & Filippidis, L. (2017). Evaluating the effectiveness of an improved active dynamic signage system using full scale evacuation trials. *Fire Safety Journal*, (February), 1–10.  
<https://doi.org/10.1016/j.firesaf.2017.03.022>
- Jin, H., Li, X., Kang, J., & Kong, Z. (2017). An evaluation of the lighting environment in the public space of shopping centres. *Building and Environment*, 115, 228–235.  
<https://doi.org/10.1016/j.buildenv.2017.01.008>
- Khalili, A. (2004). Gender Differences in Emotional Intelligence Among Employees of Small and Medium Enterprise : An Empirical Study, (1998).
- Knuth, D., Kehl, D., Hulse, L., & Schmidt, S. (2013). Perievent distress during fi res e  
The impact of perceived emergency knowledge. *Journal of Environmental Psychology*, 34, 10–17. <https://doi.org/10.1016/j.jenvp.2012.12.002>
- Kobes, M., Helsloot, I., Vries, B. De, & Post, J. G. (2010). Building safety and human behaviour in fire : A literature review. *Fire Safety Journal*, 45(1), 1–11.  
<https://doi.org/10.1016/j.firesaf.2009.08.005>

- Kuligowski, E. D., & Mileti, D. S. (2009). Modeling pre-evacuation delay by occupants in World Trade Center Towers 1 and 2 on September 11, 2001. *Fire Safety Journal*, 44(4), 487–496. <https://doi.org/10.1016/j.firesaf.2008.10.001>
- Maluk, C., Woodrow, M., & Torero, J. L. (2017). The potential of integrating fire safety in modern building design. *Fire Safety Journal*, 88(October 2016), 104–112. <https://doi.org/10.1016/j.firesaf.2016.12.006>
- Massart, T. (2016). Footway Evaluation. *Transportation Research Procedia*, 14, 2449–2457. <https://doi.org/10.1016/j.trpro.2016.05.295>
- Mohd Najib Ghafar. (2007). Personal Digital Assistant ),.
- Morgan, D. W., & Krejcie, R. V. (1970). Determining Sample Size for Research Activities. *Educational and Psychological Measurement*, 30, 607–610. <https://doi.org/10.1177/001316447003000308>
- Nimlyat, P. S., Audu, A. U., Ola-adisa, E. O., & Gwatau, D. (2017). An evaluation of fire safety measures in high-rise buildings in Nigeria. *Sustainable Cities and Society*, 35(August), 774–785. <https://doi.org/10.1016/j.scs.2017.08.035>
- Pauls, J. (1987). Calculating evacuation times for tall buildings. *Fire Safety Journal*, 12(3), 213–236. [https://doi.org/10.1016/0379-7112\(87\)90007-5](https://doi.org/10.1016/0379-7112(87)90007-5)
- Protection, F., Systems, D. S., & Telephone, A. (1981). 14) 249-260, 3(3), 249–260.
- Pu, S., & Zlatanova, S. (2005). Evacuation Route Calculation of Inner Buildings. In P. van Oosterom, S. Zlatanova, & E. M. Fendel (Eds.), *Geo-information for Disaster Management* (pp. 1143–1161). Berlin, Heidelberg: Springer Berlin Heidelberg. [https://doi.org/10.1007/3-540-27468-5\\_79](https://doi.org/10.1007/3-540-27468-5_79)
- Qian-li, M., & Ting-lin, H. (2011). Analysis of and Study on the Difficulties in the Fire Protection Design of Large Commercial Complex. *Procedia Engineering*, 11, 302–307. <https://doi.org/10.1016/j.proeng.2011.04.661>

- Qu, Y., Gao, Z., Xiao, Y., & Li, X. (2014). Modeling the pedestrian ' s movement and simulating evacuation dynamics on stairs. *Safety Science*, 70, 189–201.  
<https://doi.org/10.1016/j.ssci.2014.05.016>
- Rahman, O., Kwong-Kay Wong, K., & Yu, H. (2016). The effects of mall personality and fashion orientation on shopping value and mall patronage intension. *Journal of Retailing and Consumer Services*, 28, 155–164.  
<https://doi.org/10.1016/j.jretconser.2015.09.008>
- Rodrigues, E. E. C., Rodrigues, J. P. C., & da Silva Filho, L. C. P. (2017). Comparative study of building fire safety regulations in different Brazilian states. *Journal of Building Engineering*, 10(March), 102–108.  
<https://doi.org/10.1016/j.jobbe.2017.03.001>
- Rozelle, S. (2002). Chapter 4, *I*(Nsbcs 2010), 22–86.
- Sagun, A., Anumba, C., & Bouchlaghem, D. (2013). Designing Buildings to Cope with Emergencies: Findings from Case Studies on Exit Preferences. *Buildings*, 3(2), 442–461. <https://doi.org/10.3390/buildings3020442>
- Tancogne-Dejean, M., & Laclémence, P. (2016). Fire risk perception and building evacuation by vulnerable persons: Points of view of laypersons, fire victims and experts. *Fire Safety Journal*, 80, 9–19.  
<https://doi.org/10.1016/j.firesaf.2015.11.009>
- Tavakol, M., & Dennick, R. (2011). Making sense of Cronbach ' s alpha, 53–55.  
<https://doi.org/10.5116/ijme.4dfb.8dfd>
- The, G. (2013). Chapter 2 MEANS OF ESCAPE intentions for determining the design , construction , protection , location , arrangement and maintenance of exit facilities to provide erected , altered or changed in occupancy ., (c).
- Viechtbauer, W., Smits, L., Kotz, D., Bud, L., & Spigt, M. (2015). A simple formula for the calculation of sample size in pilot studies, 68, 1375–1379.  
<https://doi.org/10.1016/j.jclinepi.2015.04.014>

Yeturu, S. K., Annapurani, R., Janakiram, C., Joseph, J., & Pentapati, K. C. (2016). Assessment of Knowledge and Attitudes of Fire Safety – An Institution Based Study, 8(11), 1281–1284.

Zhang, L., Liu, M., Wu, X., & AbouRizk, S. M. (2016). Simulation-based route planning for pedestrian evacuation in metro stations: A case study. *Automation in Construction*, 71(Part 2), 430–442. <https://doi.org/10.1016/j.autcon.2016.08.031>

*Seng Kong Shutter Industries*. (n.d.). Retrieved Sunday December, 2017, from <http://www.sk-shutter.com/2010/06/sk-fire-resistant-roller-shutter.html>

*UBBL*. (1984). Uniform Building By Laws.

Idris, M. F. (1997). *The Development Of A Fire Safety Evaluation Procedure For the Educational Establishment*. Edinburgh: Department of Civil and Environmental Engineering The University of Edinburgh.